

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6467075").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:01
L2	2	("6470436").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:02
L3	2	("5920876").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:02
L4	2	("5907709").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:02
L5	2	("5842019").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:02
L6	2	("5835701").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:02
L7	2	("5689707").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:03

EAST Search History

L8	2	("5721917").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:03
L9	2	("5652899").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:03
L10	2	("5651136").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:03
L11	2	("5491808").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:04
L12	2	("5408650").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:04
L13	2	("0511384").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:04
L14	2	("5109336").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 08:04

EAST Search History

S1	3157	(717/124-135).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/10 07:36
S2	2	("6658653").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 09:05
S3	3157	(717/124-135).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 13:24
S4	3157	S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 13:24
S5	79	S3 and (heap same management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 13:32
S6	7	S5 and (allocator\$1 same deallocator\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 13:32
S7	248	S3 and (heap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 13:33

EAST Search History

S8	8	S7 and (allocator\$1 same deallocator\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 13:32
S9	275	S3 and (memory near3 allocation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 13:34
S10	7	S9 and (allocator\$1 same deallocator\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 14:07
S11	2	("5355469").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 14:15
S12	2	("5355469").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 14:27
S13	2	("7076511-").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 14:30
S14	2	("20040128463").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 14:35

EAST Search History

S15	238	(relationship or association) same (allocate\$1 allocator or allocation) same (deallocator or deallocation or free\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 14:36
S16	5	S15 and debug and (dynamic memory allocation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 14:41
S17	2	("5355469").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 14:43
S18	2	("5604864").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 14:50
S19	2	("0533808").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 14:51
S20	2	("6467075").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 14:51
S21	2	("5408650").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 15:34

EAST Search History

S22	2	("5355469").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 15:35
S23	2	("5355469").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/30 17:39
S24	3157	S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 17:39
S25	2	("6023281").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/01 18:04
S26	607	(dynamic memory management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/01 18:04
S27	118	S26 and (error\$1 and limit\$1 and counter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/01 18:05
S28	0	S26 and (error\$1 same limit\$1 same counter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/01 18:05

EAST Search History

S29	108	S27 and user\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/01 18:05
S30	15	S27 and user\$1 and (debug\$1 or debugging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/01 18:12
S31	0	S27 and (user\$1 near3 limit\$1) and (debug\$1 or debugging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/01 18:12
S32	2	("6467075").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/01 18:16
S33	2	("6658653").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 11:43
S34	2	("4511964").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 11:46
S35	2	("5920876").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 11:47

EAST Search History

S36	2	("5907709").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 11:49
S37	2	("5842019").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 11:51
S38	2	("5835701").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 11:52
S39	2	("5689707").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 11:53
S40	2	("5721917").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 14:45
S41	2	("5297066").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 15:02
S42	4	(transient state node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/03 15:05

EAST Search History

S43	2	("6242866").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 15:11
S44	2	("5917331").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 15:11



Terms used

Resolution of dynamic memory allocation and pointers for the behavioral synthesis form C

Found 85,560
of 203,282

Sort results
by

relevance

Display
results

expanded form



Save results to a Binder



Search Tips

☐ Open results in a new
window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Resolution of dynamic memory allocation and pointers for the behavioral synthesis](#)



form C

Luc Séméria, Koichi Sato, Giovanni De Micheli

January 2000 **Proceedings of the conference on Design, automation and test in Europe DATE '00**

Publisher: ACM Press

Full text available: pdf(86.68 KB)


[Publisher Site](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

2 [Exploiting perception in high-fidelity virtual environments: Exploiting perception in high-fidelity virtual environments](#)


Additional presentations from the 24th course are available on the citation page

Mashhuda Glencross, Alan G. Chalmers, Ming C. Lin, Miguel A. Otaduy, Diego Gutierrez
July 2006 **ACM SIGGRAPH 2006 Courses SIGGRAPH '06**

Publisher: ACM Press

Full text available: pdf(5.07 MB) mov(68:6 MIN) Additional Information: [full citation](#), [appendices and supplements](#),
[abstract](#), [references](#), [cited by](#)

The objective of this course is to provide an introduction to the issues that must be considered when building high-fidelity 3D engaging shared virtual environments. The principles of human perception guide important development of algorithms and techniques in collaboration, graphical, auditory, and haptic rendering. We aim to show how human perception is exploited to achieve realism in high fidelity environments within the constraints of available finite computational resources. In this course w ...

Keywords: collaborative environments, haptics, high-fidelity rendering, human-computer interaction, multi-user, networked applications, perception, virtual reality

3 [GPGPU: general purpose computation on graphics hardware](#)



David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aaron Lefohn

August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available: pdf(63.03 MB) Additional Information: [full citation](#), [abstract](#), [citations](#)

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely powerful and flexible processor. The latest graphics architectures provide tremendous memory bandwidth and computational horsepower, with fully programmable vertex and pixel processing units that support vector operations up to full IEEE floating point precision. High level languages have emerged for graphics hardware, making this

Google

dynamic memory allocation deallocator

Search

[Advanced Search](#)
[Preferences](#)

[Web](#) [Books](#)

Results 1 - 10 of about 821 for **dynamic memory allocation deallocator** . (0.15 seconds)

[PDF] **Dynamic Memory Management on Mome DSM**

File Format: PDF/Adobe Acrobat

dynamic memory management on a sequential machine. During **memory allocation**, extending the arena introduces some extra cost: the DML must be acquired, ...
doi.ieeecomputersociety.org/10.1109/CCGRID.2006.135 - [Similar pages](#)

CVS Repository - markup - Linux-HA: linux-ha/beam.tcl

... **dealloc** (pointer_index = 1, resource = heap_memory), property (index = 1, type = requires, num_dereference = 0, property_name = "**memory allocation** ...
cvs.linux-ha.org/viewcvs/viewcvs.cgi/linux-ha/beam.tcl?rev=1.20&view=markup - 17k -
[Cached](#) - [Similar pages](#)

Memory as a Programming Concept in C and C++ - Google Books Result

by Frantisek Franek - 2003 - 272 pages

This is the role of the C **dealloc** free C), whose synopsis is: #include ... the errors that can arise during **dynamic memory allocation** and deallocation. ...
books.google.com/books?isbn=0521520436...

[PDF] **LNCS 2855 - Energy-Conscious Memory Allocation and Deallocation ...**

File Format: PDF/Adobe Acrobat

the OS page **allocation** policy to minimize **dynamic** energy consumption. The sketch of our energy-conscious **memory dealloc** with migration support ...
www.springerlink.com/index/wjaq67lb3n3fh6a0.pdf - [Similar pages](#)

[PDF] **Visualising Dynamic Memory Allocators**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the word '**dealloc**' although the allocator and **dealloc** go ... all C programs for **dynamic memory allocation**. Section 5 describes ...
grothoff.org/christian/teaching/2007/4705/p115-chedle.pdf - [Similar pages](#)

[PDF] **Visualising Dynamic Memory Allocators**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Details of specific general-purpose allocator/**dealloc** ... all C programs for **dynamic memory allocation**. Section 5 describes a visualisation of ...
pubs.doc.ic.ac.uk/GCspy/GCspy.pdf - [Similar pages](#)

[PDF] **Static Detection of Dynamic Memory Errors**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

provide ways of expressing assumptions about **memory allocation**, [2], we described how LCLint without **dynamic memory** checking ...
www.cs.virginia.edu/~evans/pldi96.pdf - [Similar pages](#)

[PDF] **The RealTime Behavior of Dynamic Memory Management in C++ - Real ...**

File Format: PDF/Adobe Acrobat

dynamic memory management also enables software to efficiently adjust the **allocation** of **memory** to different program components in order to optimize the ...
ieeexplore.ieee.org/iel3/3903/11332/00516211.pdf?arnumber=516211 - [Similar pages](#)

[PDF] **Static Detection of Dynamic Memory Errors**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

provide ways of expressing assumptions about **memory allocation**, initialization and sharing, and introduce The **dealloc**, free, is specified as ...
www.dsi.unive.it/~avp/evans96static.pdf - [Similar pages](#)

[PDF] **Automatic Region- Based Memory Management for Real-Time Embedded ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

cated objects, in order to insert calls to the **dealloc** of a region as In this paper, we

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

dynamic memory allocation deallocator

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 821 for dynamic memory allocation deallocator . (0.11 seconds)

[PDF] A high-performance **memory** allocator for **memory** intensive ...

File Format: PDF/Adobe Acrobat

Dynamic memory allocation (DMA) has been an. important topic in computer systems for over chunk to be passed down to the lower-level **dealloc**ator. ...

ieeexplore.ieee.org/iel5/6804/18265/00846507.pdf - [Similar pages](#)

[PDF] **MEMORY AS A PROGRAMMING CONCEPT IN C AND C++**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

of static **memory allocation**, **dynamic memory allocation**, program ... and C **dealloc**ator. free() . How to. handle **memory allocation/deallocation** errors. ...

assets.cambridge.org/97805218/17202/sample/9780521817202ws.pdf - [Similar pages](#)

[PDF] A garbage collection policy based on empirical behavior

File Format: PDF/Adobe Acrobat

to the normal allocator/**dealloc**ator. The result of the test reveals that the One of major reasons is its prolific **dynamic memory allocation** behavior. ...

linkinghub.elsevier.com/retrieve/pii/S0020025503003931 - [Similar pages](#)

ScienceDirect - Journal of Systems and Software : The design and ...

A high speed **dynamic memory** allocator, **dealloc**ator should be as fast as possible. In some applications such as a long-running server programs, **allocation** ...

linkinghub.elsevier.com/retrieve/pii/S0164121203000955 - [Similar pages](#)

Digital Mars - digitalmars.D.learn - Fast **Memory Allocation** Strategy

I've been looking at D's approach to **memory allocation** and I have an We use over-**allocation** technique to store the length, and given the **dealloc**ator. ...

www.digitalmars.com/d/archives/digitalmars/D/learn/4.html - 36k - [Cached](#) - [Similar pages](#)

An example of performing **memory allocation** with XDR

To have XDR to do the **allocation**, this routine must be rewritten in the following way: ...

When called from svc_freeargs, the **memory dealloc**ator is used. ...

ou800doc.caldera.com/en/SDK_netapi/rpcpC.memalloc.html - 6k - [Cached](#) - [Similar pages](#)

[PDF] Bilal Shirazi 98107317 CS499 Research Paper: An analysis of ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Hence, the demands of **dynamic memory allocation** are more complex in a The deallocation routine is also more complex than the uC++ **dealloc**ator. ...

plg.uwaterloo.ca/~usystem/pub/uSystem/Shirazi499.pdf - [Similar pages](#)

Squawks of the Parrot: What the heck is: Garbage Collection

With GC, an **allocation** might trigger a collection, so it might be slow. However, this isn't a valid argument against GC. NO **dynamic memory** scheme has any ...

www.sidhe.org/~dan/blog/archives/000200.html - 32k - [Cached](#) - [Similar pages](#)

ZedCode: Talking only makes yourself look stupid

Additionally the **dynamic memory allocation** might be useful for other things as well ... tiny but fully functional chained-list type allocator / **dealloc**ator. ...

zedcode.blogspot.com/2007/02/talking-only-makes-yourself-look-stupid.html - 15k -

[Cached](#) - [Similar pages](#)

[PPT] About Tech-X Corporation

File Format: Microsoft Powerpoint - [View as HTML](#)

Dynamic Allocation 101; **Memory** management tools. auto_ptr; ref counting ... allocated **memory** otherwise you have **memory** leak. Matching allocator/**dealloc**ator ...

https://collaborate.txcorp.com/support/code-development-standards/codesafetyaug30_2006.ppt - [Similar pages](#)

Google

dynamic memory allocation deallocator

Search

Advanced Search
Preferences

Web

Results 21 - 30 of about 821 for dynamic memory allocation deallocator . (0.11 seconds)

PJLIB Reference: Fast Memory Pool

Memory pools allow **dynamic memory allocation** comparable to malloc or the new in ...
any **memory allocation** backend allocator/**dealloc**ator may be used. ...

www.pjsip.org/pjlib/docs/html/group__PJ__POOL__GROUP.htm - 19k -

[Cached](#) - [Similar pages](#)

[PDF] Design of a Reusable Memory Management System

File Format: PDF/Adobe Acrobat - [View as HTML](#)

applications are getting **dynamic memory** intensive[9]. This. creates the need of high-performance **memory** allocator and. **dealloc**ator as a core extension. ...

www.iit.edu/~agunsal/research/Design%20of%20a%20Reusable%20Memory%

20Management%20System.pdf - [Similar pages](#)

[PDF] Dynamic Memory Management in Hardware

File Format: PDF/Adobe Acrobat - [View as HTML](#)

According to those it is possible to perform **dynamic memory allocation** in Figure 34 gives a flow chart of the software allocator and **dealloc**ator. ...

www.idt.mdh.se/utbildning/exjobb/files/TR0142.pdf - [Similar pages](#)

[PDF] Efficient Region-Based Memory Management for Resource-limited Real ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

to the **dealloc**ator of a region as soon as all the included objects are no In this paper, we have presented a scheme for **dynamic memory allocation** in ...

icoolps.loria.fr/icoolps2006/Papers/nakhli_icoolps_2006.pdf - [Similar pages](#)

13: Dynamic Object Creation

Of course, C has always provided the **dynamic memory allocation** functions so there's no way to say, "Use my special **dealloc**ator for this object. ...

web.mit.edu/merolish/ticpp/Chapter13.html - 95k - [Cached](#) - [Similar pages](#)

Memory management system and method for allocating and reusing ...

Dynamic memory allocation that enables efficient use of buffer pool **memory** a **dealloc**ator that deallocates each **memory** node in the **memory** block as the ...

www.patentstorm.us/patents/6701420-claims.html - 25k - [Cached](#) - [Similar pages](#)

[PDF] Exposing Memory Corruption and Finding Leaks: Advanced Mechanisms ...

File Format: PDF/Adobe Acrobat

where **dynamic memory allocation** is done using the system malloc() with a given allocator must be deallocated with the matching **dealloc**ator. This ...

www.springerlink.com/index/V0H8NPHUBX0BPMMP.pdf - [Similar pages](#)

Abstract by Meri Durian

Several popular heap-based **dynamic memory allocation** techniques were investigated and the package of **memory** management algorithms (with graphical interface) ...

www.aua.am/aua/masters/ce/site2/programs/cis/cismasters2004/MeriDurian.htm - 3k -

[Cached](#) - [Similar pages](#)

Garbage Collection - D Programming Language - Digital Mars

C and C++ programmers accustomed to explicitly managing **memory allocation** and deallocation will likely be skeptical of the benefits and efficacy of garbage ...

www.digitalmars.com/d/garbage.html - 19k - [Cached](#) - [Similar pages](#)

MFC Programmer's SourceBook : Thinking in C++

The **memory allocation** system used by new and delete is designed for so there's no way to say, "Use my special **dealloc**ator for this object. ...

www.codeguru.com/cpp/tic/tic0139.shtml - 51k - [Cached](#) - [Similar pages](#)